

BRESKVA, NEKTARINA, MARELICA program zaštite



	KRETANJE VEGETACIJE	krastavost i hrđe NEORAM WG 0,5 % 	+	štitaste uši SILMAX 0,1-0,15 %
	BUBRENJE PUPOVA	kovrčavost lista, palež cvijeta i rodnih grančica NEORAM WG 0,5 % 	+	pepelnica COSAVET DF 0,5 - 0,6 % 
	DO POČETKA CVATNJE	kovrčavost lista DIFCOR 0,02 - 0,03 % ili ZIRAM 0,25%	+	lisne uši, kalifornijska štitasta uš COSAVET DF 0,3 - 0,4 %
	CVATNJA	palež cvijeta i rodnih grančica INDAR 5 EW 0,07 %		
	PO CVATNJI	palež cvijeta i rodnih grančica INDAR 5 EW 0,07 % ili SYSTHANE 20 EW 0,03%		
	FORMIRANI PLODOVI	pepelnica COSAVET DF 0,3 - 0,4 % ili SYSTHANE 20 EW 0,03 %	+	lisne uši, kalifornijska štitasta uš CLOSER 0,03 %
	RAST PLODOVA	šupljikavost lista, pepelnica DOMARK 40 ME 0,1 % ili SYSTHANE 20 EW 0,03 %	+	savijač, moljac CORAGEN 20 SC 0,016-0,02% ili AVAUNT EC 0,033 % ili DELEGATE 0,03 %
	PRED BERBU	trulež plodova INDAR 5 EW 0,1 % ili DIFCOR 0,02 - 0,03 % ili SYSTHANE 20 EW 0,03 %		
	OPADANJE LIŠĆA U JESEN	bakterioze NEORAM WG 0,3 % 		